



Contribution ID: 82

Type: **Oral**

Twists and Turns: Exploiting Azimuthal Dependences in the Ultrafast Time Domain

Wednesday, 8 October 2025 14:35 (25 minutes)

Ultrafast spin manipulation carries great potential for future information technology. Ferromagnets, which are commonly studied in this context, are limited by the dissipation of angular momentum. This is not the case for antiferromagnets, which offer both the prospect of faster and more efficient spin dynamics, as well as the possibility to exploit magnetic properties that are unavailable in ferromagnets. One such property is the internal arrangement of the spins. Controlling this arrangement can alter how the antiferromagnet stores data, interacts with neighboring materials, and more.

Resonant X-ray diffraction is commonly used to study spin arrangements in antiferromagnets, and the azimuthal dependence of diffracted intensity can be collected. This information is particularly important when the Ewald sphere is limited by the use of soft X-ray resonance, so only a few reflections can be recorded. Here I will discuss femtosecond soft X-ray resonant diffraction studies of antiferromagnetic spin dynamics. In these projects we take advantage of azimuthal angle dependences to disentangle the rearrangement of spin order from the “usual” demagnetization. We demonstrate deterministic ultrafast control of the spin arrangement, and we use the dynamic azimuthal data to retrieve intrinsic material properties associated with the spin dynamics.

The materials of focus are Lanthanide-based intermetallics [1-3].

REFERENCES

1. Y. W. Windsor et al., Communications Physics 3, 139 (2020)
2. Y. W. Windsor et al., Nature Materials 21, 514–517 (2022)
3. S.-E. Lee, et al., Phys. Rev. Research 6, 043019 (2024)

Primary author: WINDSOR, William (TU Berlin & Fritz Haber Institute)

Co-authors: Dr LEE, Sang-Eun (Fritz Haber Institute); Dr ZAHN, Daniela (Fritz Haber Institute); Dr KLIEMT, Kristin (Johann Wolfgang Goethe-Universität Frankfurt); Prof. ERSNT, Arthur (Johannes Kepler University Linz); SCHÜSSLER-LANGEHEINE, Christian (Helmholtz-Zentrum Berlin für Materialien und Energie); PONTIUS, NiKo (Helmholtz-Zentrum Berlin für Materialien und Energie); STAUB, Urs (Paul Scherrer Institut); KRELLNER, Cornelius (Goethe-Universität Frankfurt); RETTIG, Laurenz (Department of Physical Chemistry, Fritz Haber Institute of the Max Planck Society)

Presenter: WINDSOR, William (TU Berlin & Fritz Haber Institute)

Session Classification: Talks Wed Afternoon